


MMCX Jack Commercial Grade Connector Solder Attachment Thru Hole PCB



PE51704

Configuration

- MMCX Jack Connector
- 50 Ohms
- Straight Body Geometry
- Connector Interface Types: Thru Hole
- Commercial Grade Design

Features

- Max. Operating Frequency 6 GHz
- Good VSWR of 1.3:1
- Gold Plated Beryllium Copper Contact

Applications

- General Purpose Test
- Space Saving for PCB Applications

Description

Pasternack's PE51704 , MMCX, Commercial Grade, connector with solder attachment for Thru Hole PCB is part of our full line of RF components available for same-day shipping. Our MMCX jack connector operates up to a maximum frequency of 6 GHz and offers good VSWR of 1.3:1.

Our MMCX jack connector PE51704 datasheet specifications and drawing with dimensions are shown below in this PDF. Pasternack's broad catalog of RF, microwave and millimeter wave connectors allows designers to configure and customize their signal connections however they like. Whether the need is to provide an I/O for a board design, or simply create a custom cable assembly configuration, Pasternack has the right connector for the job. Pasternack can also expertly build your custom cable assemblies for you and ship same-day.

Electrical Specifications

Description	Minimum	Typical	Maximum	Units
Frequency Range	DC		6	GHz
VSWR			1.3:1	
Dielectric Withstanding Voltage (AC)			500	Vrms
Insulation Resistance	1,000			MOhms
Impedance		50		Ohms

Mechanical Specifications


Size

Length	0.3 in [7.62 mm]
Width	0.14 in [3.56 mm]
Height	0.14 in [3.56 mm]
Weight	0.02 lbs [9.07 g]

Material Specifications

Description	Material	Plating
Contact	Beryllium Copper	Gold
Insulation	PTFE	
Body	Brass	Gold

MMCX Jack Commercial Grade Connector Solder Attachment Thru Hole PCB



PE51704

Environmental Specifications

Temperature

Compliance Certifications (see [product page](#) for current document)

Plotted and Other Data

Notes:

MMCX Jack Commercial Grade Connector Solder Attachment Thru Hole PCB from Pasternack Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99.4% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: [MMCX Jack Commercial Grade Connector Solder Attachment Thru Hole PCB PE51704](#)

URL: <https://www.pasternack.com/mmcx-jack-thru-hole-pcb-connector-pe51704-p.aspx>

The information contained within this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part in order to implement improvements. Pasternack Enterprises reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Pasternack Enterprises does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Pasternack Enterprises does not assume liability arising out of the use of any part or document.

PE51704 CAD Drawing

MMCX Jack Commercial Grade Connector Solder Attachment Thru Hole PCB

