



DEUTSCH | DEUTSCH Common Contact

TE Internal #: 0462-005-2031

Socket Terminal, 16 – 18 AWG, .75 – 1.5 mm² Wire, Gold (Au), 1 mm [.04 in] Pin Diameter, Terminates To Wire, DEUTSCH Common Contact

[View on TE.com >](#)

Terminals & Splices > Automotive Terminals > DEUTSCH Solid Contacts



Terminal Type: **Socket**

Wire Size: **16 – 18 AWG**

Interface Plating: **Gold (Au)**

Sealable: **No**

[All DEUTSCH Solid Contacts \(46\)](#)

Features

Product Type Features

Receptacle Style	180°
Sealable	No

Contact Features

Typical Current Rating	7.5 A
Crimp Type	Indent Crimp
Contact Size	Size 20
Contact Fabrication	Solid
Wire Contact Termination Area Plating Material	Gold
Terminal Type	Socket
Interface Plating	Gold (Au)
Mating Pin Diameter	1 mm [.04 in]

Termination Features

Termination Method to Wire & Cable	Crimp
Product Terminates To	Wire

Dimensions

Wire Size	16 – 18 AWG
Wire Size Search	.75 mm ² , 1 mm ² , 1.5 mm ²



Usage Conditions

Insulation Option	Partially Insulated
Operating Temperature (Max)	150 °C[302 °F]
Operating Temperature Range	-55 – 150 °C[-67 – 302 °F]

Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

Packaging Features

Packaging Method	Carton
Packaging Quantity	5000

Other

Customer Preferred Contact	Yes
Terminal Transmits	0 – 24 A (Low Power)

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)





EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) SVHC > Threshold: Pb (1.2% in 74021991) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits



as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts


<p>TE Part # DRC26-24SC-P017 PLG, 24P, BLK, N, SS CLIP, A</p>	<p>TE Part # DRC26-40SA-PL01 PLG, 40P, BLK, N, ROUTER CAP, SS CLIP, A</p>	<p>TE Part # DRC26-40SC-PL01 PLG, 40P, BLK, N, ROUTER CAP, SS CLIP, C</p>	<p>TE Part # DRC26-50S03-C027 PLG, 50P, BLK, N, SPECIAL GROMMET, 03</p>
<p>TE Part # DRC26-24SD-P017 PLG, 24P, BLK, N, SS CLIP, A</p>	<p>TE Part # 450GA-20N GAUGE SZ 20 GO-NO-GO FOR HDP-400</p>	 <p>TE Part # CAT-D799-CH8172 DEUTSCH DRC Housings</p>	 <p>TE Part # DTMH06-4SB PLG, 4P, BLK, N, HI TEMP, B</p>
<p>TE Part # DRC26-50S10-C027 PLG, 50P, BLK, N, SPECIAL GROMMET, 10</p>	<p>TE Part # DRC26-60S02 PLG, 60P, BLK, N, 02</p>	<p>TE Part # DRC26-50S01-C027 PLG, 50P, BLK, N, SPECIAL GROMMET, 01</p>	<p>TE Part # DRC26-40SB-PL01 PLG, 40P, BLK, N, ROUTER CAP, SS CLIP, B</p>
<p>TE Part # DRC26-40SD-PL01 PLG, 40P, BLK, N, ROUTER CAP, SS CLIP, D</p>	<p>TE Part # DRC26-60S09 PLG, 60P, BLK, N, 09</p>	 <p>TE Part # CAT-D48-ST273 DEUTSCH Solid Contacts</p>	 <p>TE Part # 1060-20-0244 PIN, SF, SIZE 20, 16-22, AU/SN</p>



Also in the Series | DEUTSCH Common Contact



Customers Also Bought



Documents

Product Drawings

SOC, SOLID, SIZE 20, 16-18AWG, AU

English

CAD Files

3D PDF

3D



Customer View Model

[ENG_CVM_CVM_0462-005-2031_99_c-0462-005-2031-99.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_0462-005-2031_99_c-0462-005-2031-99.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_0462-005-2031_99_c-0462-005-2031-99.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[DEUTSCH HD30 & HDP20 CONNECTOR SERIES](#)

English

[CONNECTOR SELECTOR](#)

English

Product Specifications

[Engineering Report](#)

English