

1-163083-2 ✓ ACTIVE

AMP | AMP Type III+


TE Internal #: 1-163083-2

Socket Contact, Silver (Ag), Size 16 Contact Size, 18 – 16 AWG, .75
– 1.5 mm² Wire, Crimp, Brass, Power & Signal, AMP Type III+

[View on TE.com >](#)



Connectors > Contacts > Connector Contacts



Contact Type: **Socket**

Contact Mating Area Plating Material: **Silver (Ag)**

Wire Contact Termination Area Plating Material: **Silver**

Contact Retention Within Housing: **With**

Contact Size: **Size 16**

Features

Product Type Features

Discrete Wire Type	Stranded
--------------------	----------

Contact Features

Contact Underplating Material	Nickel
-------------------------------	--------

Contact Orientation	Straight
---------------------	----------

Mating Pin Diameter	1.57 mm[.062 in]
---------------------	------------------

Contact Underplating Material Thickness	.76 µm[30 µin]
---	----------------

Contact Mating Area Plating Material Thickness	1.52 µm[60 µin]
--	-----------------

Wire Contact Termination Area Plating Material Finish	Matte
---	-------

Wire Contact Termination Area Plating Thickness	1.52 µm[60 µin]
---	-----------------

Contact Mating Area Plating Material Finish	Matte
---	-------

Contact Type	Socket
--------------	--------

Contact Mating Area Plating Material	Silver (Ag)
--------------------------------------	-------------

Wire Contact Termination Area Plating Material	Silver
--	--------

Contact Retention Within Housing	With
----------------------------------	------

Contact Size	Size 16
--------------	---------



Contact Base Material	Brass
-----------------------	-------

Contact Current Rating (Max)	13 A
------------------------------	------

Termination Features

Termination Method to Wire & Cable	Crimp
------------------------------------	-------

Product Terminates To	Wire & Cable
-----------------------	--------------

Mechanical Attachment

Wire Insulation Support	With
-------------------------	------

Dimensions

Compatible Insulation Diameter Range	2 – 2.5 mm [.078 – .098 in]
--------------------------------------	-----------------------------

Wire Size	.75 – 1.5 mm ²
-----------	---------------------------

Usage Conditions

Operating Temperature Range	-55 – 150 °C [-67 – 302 °F]
-----------------------------	-----------------------------

Operation/Application

Circuit Application	Power & Signal
---------------------	----------------

Identification Marking

Contact Color Code	Blue
--------------------	------

Packaging Features

Packaging Quantity	5000
--------------------	------

Packaging Method	Reel
------------------	------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------

EU ELV Directive 2000/53/EC	Compliant
-----------------------------	-----------

China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
---	---

EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
--	---

Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
-----------------	---

Solder Process Capability	Not applicable for solder process capability
---------------------------	--

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Compatible Parts



Also in the Series | **AMP Type III+**



Connector Contacts(365)




Insertion & Extraction Tools(4)



Power Contacts(365)

Customers Also Bought



TE Part #1-164161-3
TYPE III+ PIN ASSY



TE Part #2-1103032-3
HD.64.STI.C



TE Part #4-1106053-3
O-Ring 98x3



TE Part #1102760-2
EMV.24/64.AG



TE Part #1106402-4
EMV.3/4.STO.1.M16.G



TE Part #1-1106461-8
EMV.24/64.STO.1.M32.G+STS.1.M32.G



TE Part #4-1102703-5
EMV-K.3/4.AG



TE Part #3-1102703-5
EMV.3/4.AG



TE Part #1106402-2
EMV-K.3/4.STO.1.M16.G



TE Part #2-1103033-3
HD.64.BU.C

Documents

Product Drawings

[.062 DIA SOC ASS 3+](#)

English

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_1-163083-2_AY.2d_dxf.zip](#)



English

Customer View Model

[ENG_CVM_CVM_1-163083-2_AY.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1-163083-2_AY.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

[Product Specification](#)

English