

1827571-2 ✓ ACTIVE

[Dynamic Series](#) | [Dynamic 1000 Series](#)

TE Internal #: 1827571-2

Receptacle Contact, Gold (Au), 125 VAC / 250 VAC, 125 VDC / 250 VDC, 28 – 22 AWG, .08 – .38 mm<sup>2</sup> Wire, Crimp, Copper Alloy, Signal, Dynamic 1000 Series

[View on TE.com >](#)



Connectors > Contacts > Connector Contacts > Contact: Component To Wire; 3-5A, 30-18 Wire Size



Contact Type: **Receptacle**

Contact Mating Area Plating Material: **Gold (Au)**

Operating Voltage: **125 VDC, 250 VDC**

Wire Size: **28 – 22 AWG**

[All Contact: Component To Wire; 3-5A, 30-18 Wire Size \(30\)](#)

## Features

### Electrical Characteristics

Operating Voltage	125 VDC, 250 VDC
-------------------	------------------

### Contact Features

Contact Underplating Material	Nickel
Contact Orientation	Straight
Contact Underplating Material Thickness	1.27 µm[50 µin]
Contact Mating Area Plating Material Thickness	.38 µm[15 µin]
Mating Tab Width	.7 mm[.027 in]
Contact Length	7.9 mm[.311 in]
Mating Tab Thickness	.5 mm[.02 in]
Barrel Type	Open
Contact Type	Receptacle
Contact Mating Area Plating Material	Gold (Au)
Contact Base Material	Copper Alloy
Contact Current Rating (Max)	5 A

### Termination Features

Termination Method to Wire & Cable	Crimp
Product Terminates To	Wire & Cable



**Mechanical Attachment**

Wire Insulation Support	With
-------------------------	------

**Dimensions**

Compatible Insulation Diameter Range	1.08 – 1.9 mm [.042 – .074 in]
Wire Size	.08 – .38 mm <sup>2</sup>

**Usage Conditions**

Operating Temperature Range	-55 – 105 °C [-67 – 221 °F]
-----------------------------	-----------------------------

**Operation/Application**

Circuit Application	Signal
---------------------	--------

**Packaging Features**

Packaging Quantity	6000
Packaging Method	Reel & Box

**Product Compliance**

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides



on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

## Compatible Parts



**KIT**  
REPRESENTATION ONLY

TE Part # 7-2151111-7  
OCEAN\_2.0\_SPARE\_PART\_KIT-046F070F



TE Part # 2255141-1  
MINI SAHT D1000-L



TE Part # 2151111-2  
OCEAN\_2.0\_APPLICATOR-S-046F070F-RSA



TE Part # 1891526-1  
EXTRACTION TOOL FOR DYNAMIC 1000 SERIES



TE Part # 2305570-1  
Strip Terminal Cutter-Side Feed-No Crimp



TE Part # CAT-D9934-A15  
Contact: Component To Wire; 3-5A, 30-18 Wire Size




TE Part # 1-1827864-0  
DYNAMIC 1200D REC HSG 20P X BLACK




TE Part # 2151111-1  
OCEAN\_2.0\_APPLICATOR-S-046F070F-RSM


## Also in the Series | Dynamic 1000 Series




Connector Contacts(40)



Connector Hardware(3)




Power Contacts(9)




Rectangular Connector Housings(129)



Rectangular Power Connectors(115)



Standard Rectangular Connectors(130)



Wire-to-Board Connector Assemblies & Housings(24)

## Customers Also Bought



TE Part #CAT-D9934-A15B  
Receptacle and Tab Housing: 2.5 mm  
Pitch, 250V



TE Part #1-1827863-1  
DYNAMIC 1100D REC HSG 22P X  
BLACK



TE Part #3-1318983-6  
DYNAMIC D-5200M ALPHA HDR  
ASSY 4P XY AG



TE Part #1903114-2  
DYNAMIC D1000 TAB CONT AU 0.38  
um 2L REEL



TE Part #1-1827872-7  
DYNAMIC 1100D HDR ASSY V 34P  
XBLACK GOLD

## Documents

### Product Drawings

[DYNAMIC D1000 REC CONT L AU 0.38um FORM](#)

English

### CAD Files

Customer View Model

[ENG\\_CVM\\_CVM\\_1827571-2\\_G.2d\\_dxf.zip](#)

English

[3D PDF](#)

3D

Customer View Model

[ENG\\_CVM\\_CVM\\_1827571-2\\_G.3d\\_igs.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_1827571-2\\_G.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

### Product Specifications

[Application Specification](#)

English

### Instruction Sheets

[Instruction Sheet \(non U.S.\)](#)

English

[Instruction Sheet \(non U.S.\)](#)

Japanese



**MULTIPLE ENCLOSURE 67M D1200 15POS. REC PLUG**

Japanese

**Instruction Sheet (non U.S.)**

Japanese