

1971742-1 ✓ ACTIVE

LUMAWISE


TE Internal #: 1971742-1

PCB Mount Header, Horizontal, Board-to-Board, 1 Position, Tin (Sn), Surface Mount, Signal, Natural, Tape & Reel

[View on TE.com >](#)



Connectors > PCB Connectors > PCB Headers & Receptacles > MINI HERM



PCB Connector Type: **PCB Mount Header**

PCB Mount Orientation: **Horizontal**

Connector System: **Board-to-Board**

Number of Positions: **1**

Number of Rows: **1**

[All MINI HERM \(8\)](#)

### Features

#### Product Type Features

PCB Connector Type	PCB Mount Header
Connector System	Board-to-Board
Sealable	No
Connector & Contact Terminates To	Printed Circuit Board
Connector Product Type	Connector Assembly

#### Configuration Features

PCB Mount Orientation	Horizontal
Number of Positions	1
Number of Rows	1

#### Body Features

Primary Product Color	Natural
-----------------------	---------

#### Contact Features

PCB Contact Termination Area Plating Material Thickness	2 – 6 $\mu\text{m}$ [78.74 – 251 $\mu\text{in}$ ]
---	---



Mating Tab Thickness	.3 mm[.012 in]
PCB Contact Termination Area Plating Material	Tin
Contact Fabrication	Stamped & Formed
Contact Mating Area Plating Material Finish	Matte
Contact Mating Area Plating Material Thickness	2 – 5 µm
Mating Tab Width	1.55 mm[.061 in]
Contact Mating Area Plating Material	Tin (Sn)
Contact Type	Blade
Contact Current Rating (Max)	3 A

#### Termination Features

Termination Method to PCB	Surface Mount
---------------------------	---------------

#### Mechanical Attachment

Mating Retention	Without
Mating Retention Type	Contact Friction
PCB Mount Retention	Without
PCB Mount Alignment	Without
Connector Mounting Type	Board Mount

#### Housing Features

Housing Material	LCP
------------------	-----

#### Dimensions

	.079 in
Connector Length	5.9 mm[.232 in]

#### Usage Conditions

Operating Temperature Range	-40 – 105 °C[-40 – 221 °F]
-----------------------------	----------------------------

#### Operation/Application

Circuit Application	Signal
---------------------	--------

#### Industry Standards

Compatible With Agency/Standards Products	UL
Compatible With Approved Standards Products	UL 1977, UL E28476
UL Flammability Rating	UL 94V-0

#### Packaging Features

Packaging Method	Tape & Reel
------------------	-------------



## Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2018 (181) SVHC > Threshold: Not Yet Reviewed
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Reflow solder capable to 260°C

### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

## Compatible Parts



## Customers Also Bought



TE Part #353908-4  
CT REC HSG 4P CRIMP TYPE WHITE




TE Part #5787617-1  
RECP ASSY, R/A, STACKED, THRU-HOLE, USB,



TE Part #1447360-8  
SHIELD FINGER 1312 A TYPE



TE Part #4-1393789-5  
V23079D2003B301




TE Part #2106091-3  
4 pos Inverted Thru Board SMT Header



TE Part #CAT-SL36-M6642B  
Miniature Headers, SlimSeal



TE Part #4-1622825-3  
RL73K 3A R15 5% 4K RL



TE Part #142270-1  
CONNECTOR SHUNT 2 P

## Documents

### Product Drawings

[1P male slim board to board connector](#)

English

### CAD Files

Customer View Model

[ENG\\_CVM\\_CVM\\_1971742-1\\_A1.3d\\_igs.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_1971742-1\\_A1.3d\\_stp.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_1971742-1\\_A1.2d\\_dxf.zip](#)

English

### 3D PDF

3D

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

### Datasheets & Catalog Pages

[7-1773456-9\\_Mini\\_Herm](#)

English

[7-1773456-9\\_Mini\\_Herm](#)

### Product Specifications

[Application Specification](#)

English

### Agency Approvals

1971742-1

PCB Mount Header, Horizontal, Board-to-Board, 1 Position, Tin (Sn), Surface Mount, Signal, Natural, Tape & Reel



## Mini Hermaphroditic Connectors

English