

1SNL905602R0000 ✓ ACTIVE

ENTRELEC | ENTRELEC SNACOMPACT

TE Internal #: 1SNL905602R0000

Jumper Bar, 2 Pole, Gray, 5 mm [.197 in] Spacing, -55 – 110 °C [-67 – 230 °F], ENTRELEC SNACOMPACT

[View on TE.com >](#)



Connectors > Terminal Blocks & Strips > Terminal Block & Strip Accessories > Terminal Block & Strip Conducting Accessories



Conducting Accessory Type: **Jumper Bar**

Number of Poles: **2**

Primary Product Color: **Gray**

Product Spacing: **5 mm [.197 in]**

Operating Temperature Range: **-55 – 110 °C [-67 – 230 °F]**

Features

Product Type Features

Conducting Accessory Type	Jumper Bar
---------------------------	------------

Configuration Features

Number of Poles	2
-----------------	---

Electrical Characteristics

Current Rating (IEC)	24 A
----------------------	------

Body Features

Plastic & Resin Material Type	Polyamide
Product Weight	3.95 g [.139 oz]
Primary Product Color	Gray

Mechanical Attachment

Tightening Torque	5.31 in-lbs
-------------------	-------------

Dimensions

Product Width	4.6 mm [.181 in]
Product Depth	22.2 mm [.874 in]

Product Length	22.2 mm[.874 in]
Product Height	4.6 mm[.181 in]
Product Spacing	5 mm[.197 in]

Usage Conditions

Installation Temperature Range	-5 – 40 °C[23 – 104 °F]
Operating Temperature Range	-55 – 110 °C[-67 – 230 °F]

Industry Standards

IP Rating	IP20
UL Flammability Rating	UL 94V-0

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



Also in the Series | ENTRELEC SNACOMPACT



Customers Also Bought



Documents

[CAD Files](#)

[3D PDF](#)

[3D](#)

[Customer View Model](#)

[ENG_CVM_CVM_1SNL905602R0000_A.2d_dxf.zip](#)

English



Customer View Model

[ENG_CVM_CVM_1SNL905602R0000_A.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1SNL905602R0000_A.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[SNACOMPACT TERMINAL BLOCKS SCREW CLAMP TECHNOLOGY](#)

English

[BJCI5-2](#)

English