

2199155-1 ✓ ACTIVE

## DDR4 DIMM

TE Internal #: 2199155-1

Double Data Rate (DDR) 4, Board-to-Bus Bar, 288 Position, Surface Mount, Vertical Module Orientation, DDR4 DIMM, DIMM Sockets

[View on TE.com >](#)



Connectors > Socket Connectors > Memory Sockets > DIMM Sockets > DDR4 DIMM SOCKETS



DRAM Type: **Double Data Rate (DDR) 4**

Connector System: **Board-to-Bus Bar**

Number of Positions: **288**

Termination Method to PCB: **Surface Mount**

Module Orientation: **Vertical**

[All DDR4 DIMM SOCKETS \(25\)](#)

## Features

### Product Type Features

Connector & Contact Terminates To	Printed Circuit Board
DRAM Type	Double Data Rate (DDR) 4
Connector System	Board-to-Bus Bar

### Configuration Features

Number of Positions	288
Module Orientation	Vertical

### Body Features

Ejector Type	Standard
--------------	----------

### Contact Features

Contact Current Rating (Max)	.75 A
------------------------------	-------

### Termination Features

Termination Method to PCB	Surface Mount
---------------------------	---------------

### Mechanical Attachment

Connector Mounting Type	Board Mount
-------------------------	-------------

### Housing Features

Centerline (Pitch)	.85 mm[.033 in]
--------------------	-----------------



### Usage Conditions

Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
-----------------------------	----------------------------

### Operation/Application

Circuit Application	Signal
---------------------	--------

### Packaging Features

Packaging Method	Hard Tray
------------------	-----------

### Product Compliance


[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Reflow solder capable to 260°C


#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

### Compatible Parts

TE Part # 2199155-7  
DDR4 DIMM 288 Pin SMT type




TE Part # 2199155-5  
DDR4 DIMM 288 PIN SMT TYPE



TE Part # 5-2368060-8  
DDR4 DIMM 288 Pin SMT type




TE Part # 5-2199155-6  
DDR4 DIMM 288 Pin SMT type



TE Part # 5-2199155-5  
DDR4 DIMM 288 Pin SMT type



TE Part # 2-2822979-3  
LGA3647-0 SOCKET P0 KIT FOR ODM (30U AU)




TE Part # 5-2368060-7  
DDR4 DIMM 288 Pin SMT type

Also in the Series | **DDR4 DIMM**



DIMM Sockets(25)



SO DIMM Sockets(39)


Customers Also Bought




TE Part #2-2213766-7  
AV19 SPL 3A POWER LED RED 24V



TE Part #87227-7  
14 MODII HDR DRST UNSHRD .100




TE Part #215307-6  
2X6P HV100 REC CON. TE, 7.0MM




TE Part #215307-3  
2X3P HV100 REC CON. TE, 7.0MM



TE Part #5-102618-2  
08 MODII HDR DRST SHRD .100CL




TE Part #215307-4  
2X4P HV100 REC CON. TE, 7.0MM



TE Part #1-1775099-3  
ATX PWR CONN 1 BDLK 24 POS



TE Part #5-2176390-3  
RQ 1206 4K02 0.1% 10PPM 5K RL



## Documents

### CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG\\_CVM\\_CVM\\_2199155-1\\_B.2d\\_dxf.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_2199155-1\\_B.3d\\_igs.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_2199155-1\\_B.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

### Datasheets & Catalog Pages

[DDR4 DIMM Socket Flyer \(English\)](#)

English

[DDR4 DIMM Socket Flyer \(Chinese\)](#)

### Product Specifications

[Product Specification](#)

English