




Connectors > Automotive Connectors > Data Connectivity Systems > Data Connectivity Housings



Sealable: No

Connector & Keying Code: Z

Connector & Housing Type: **Housing for Male Terminals**

Mating Tab Width: .5 mm [.02 in]

Mating Tab Thickness: .4 mm [.015 in]

Features

Product Type Features

Sealable	No
Connector & Housing Type	Housing for Male Terminals

Body Features

Connector & Keying Code	Z
-------------------------	---

Contact Features

Mating Tab Width	.5 mm [.02 in]
Mating Tab Thickness	.4 mm [.015 in]

Housing Features

Housing Color	Water Blue
---------------	------------

Usage Conditions

Operating Temperature (Max)	105 °C [221 °F]
Operating Temperature Range	-40 – 105 °C [-40 – 221 °F]

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)



EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # 2379849-2
MATENET,PIGTAIL,100 MBPS UTP

TE Part # 2379849-1
MATENET,PIGTAIL,100 MBPS UTP

TE Part # 2302451-1
MATENET, MALE INSERT MODUL

Customers Also Bought

TE Part #3-1355200-1
MCP2,8BU-GEH ASSY2P

TE Part #962112-3
MICRO QUADLOK COVER

TE Part #2362767-9
MATENET,CABLE ASSY,1 GBPS UTP

TE Part #1-2103346-2
HVA280 2 Bay Header Sub-Assy, KEY D, F



TE Part #2843102-2
INR HSG ASSY, HC-STAK25 XE, HDR,
NO HVIL



TE Part #2843101-1
OUTER HSG ASSY, HC-STAK25 XE,
HDR, A



TE Part #3-2392464-1
ACTUATOR, CHARGE INLET TYPE1,
4W, MS, GEN.



TE Part #2310541-2
SPLIT HEADER ASSY, KEY B, HVA280,
V0



TE Part #2103247-6
SPLIT HEADER ASSY, KEY F, HVA280



TE Part #4-2103177-6
PLUG ASSY, KEY F, FA, CPA, HVA280-
2PHI XE

Documents

Product Drawings

[MATENET INLINE COUPLER, ASSY, COD Z](#)

English

CAD Files

Customer View Model

[ENG_CVM_CVM_4-2302461-9_B.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_CVM_4-2302461-9_B.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_4-2302461-9_B.3d_igs.zip](#)

English

3D PDF

3D

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

[Application Specification](#)

English