

480003-5 ✓ ACTIVE

FASTIN-FASTON | FASTIN-FASTON 250

TE Internal #: 480003-5

Receptacle, Receptacle, 6 Position, Flag, UL 94V-2, Natural, Nylon,
Panel Mount, Carton, FASTIN-FASTON 250, Crimp Terminal
Housings

[View on TE.com >](#)



Terminals & Splices > Terminal Housings, Insulation Sleeves & Blocks > Crimp Terminal Housings



Terminal Type: **Receptacle**

Connector & Housing Type: **Receptacle**

Number of Positions: **6**

Terminal Orientation: **Flag**

UL Flammability Rating: **UL 94V-2**

Features

Product Type Features

Sealable	No
Connector & Housing Type	Receptacle

Configuration Features

Number of Positions	6
---------------------	---

Body Features

Primary Product Color	Natural
-----------------------	---------

Contact Features

Terminal Type	Receptacle
Terminal Orientation	Flag
Contact Mating Retention	Without

Mechanical Attachment

Mating Alignment	With
Connector Mounting Type	Panel Mount

Housing Features

Housing Material	Nylon
Centerline (Pitch)	8.89 mm[.36 in]

Dimensions

Product Length	24 mm[.945 in]
Wire Size	.517 – 1.308 mm ²

Usage Conditions

Operating Temperature Range	-40 – 105 °C[-40 – 221 °F]
-----------------------------	----------------------------

Industry Standards

UL Flammability Rating	UL 94V-2
------------------------	----------

Packaging Features

Packaging Quantity	1
Packaging Method	Carton

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on

requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 1-171432-2
FF 312 REC HSG 6P NYLON RED



TE Part # 1-171432-9
FF 312 REC HSG 6P NYLON BLACK



TE Part # 170258-2
FF 250 REC 14-12AWG TPBR REREELING




TE Part # 1-171432-5
FF 312 REC HSG 6P NYLON GREEN



TE Part # 170258-1
FF 250 REC 14-12AWG BR REREELING

Also in the Series | FASTIN-FASTON 250



Crimp Terminal Housings(195)



Insertion & Extraction Tools(2)



Quick Disconnects(216)

Customers Also Bought



TE Part #163007
FF 250 REC HSG 8P NYLON CLEAR



TE Part #1-459585-0
CRIMPER AMPLIVAR SPLICE BLUNTF




TE Part #0528-007-6005
BKSHL, 60P, BLK, PLG, RA, SIDE, NW 26




TE Part #2382635-1
LUMAWISE POWER INPUT TERMINAL BLOCK (TB)




TE Part #63931-1
187 FASTON REC 22-18 AWG TPBR




TE Part #1-796634-2
12 POS 5.08MM R/A PLUG,TRM BLK



TE Part #160691-5
FF 250 TAB 22-18AWG BR SILVER PLATED



TE Part #174927-1
070 MLC W-W PLUG HSG 15P



TE Part #42580-2
FF 250 REC 18-14AWG TPBR



TE Part #HD36-24-31PE-072
PLG, 31P, AL, E, THD ADPT, DRAIN, 16, P

Documents

Product Drawings

[FF 250 REC HSG 6P NYLON NAT](#)

English

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_480003-5_CH.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_480003-5_CH.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_480003-5_CH.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[FASTIN_FASTON_Product_Line](#)

English

[White Paper: Nylon Discoloration](#)

English

Product Specifications

[Application Specification](#)

English

480003-5

Receptacle, Receptacle, 6 Position, Flag, UL 94V-2, Natural, Nylon, Panel Mount,
Carton, FASTIN-FASTON 250, Crimp Terminal Housings



[Agency Approvals](#)

[UL Report](#)

English