

5-103171-1 ✓ ACTIVE

AMPMODU | AMPMODU IV/V


TE Internal #: 5-103171-1

Socket Contact, Gold (Au), 250 VAC, Discrete Wire, 26 – 22 AWG, .12 – .4 mm<sup>2</sup> Wire, 236.823 – 789.41 CMA, Crimp, AMPMODU IV/V

[View on TE.com >](#)



Connectors > Contacts > Connector Contacts



Contact Type: **Socket**

Contact Mating Area Plating Material: **Gold (Au)**

Wire Contact Termination Area Plating Material: **Tin**

Operating Voltage: **250 VAC**

Compatible With Wire & Cable Type: **Discrete Wire**

## Features

### Product Type Features

Applied Pressure	Intermediate
------------------	--------------

### Configuration Features

Compatible With Wire & Cable Type	Discrete Wire
-----------------------------------	---------------

### Electrical Characteristics

Termination Resistance	12 mΩ
Dielectric Withstanding Voltage (Max)	750 V
Insulation Resistance	5000 MΩ
Operating Voltage	250 VAC

### Contact Features

Wire Contact Termination Area Plating Material Finish	Matte
Mating Square Post Dimension	.64 mm[.025 in]
Contact Type	Socket
Contact Mating Area Plating Material	Gold (Au)
Wire Contact Termination Area Plating Material	Tin



Contact Base Material	Copper Tin Phosphor Bronze
-----------------------	----------------------------

Contact Current Rating (Max)	3 A
------------------------------	-----

### Termination Features

Termination Method to Wire & Cable	Crimp
------------------------------------	-------

Product Terminates To	Wire & Cable
-----------------------	--------------

### Mechanical Attachment

Wire Insulation Support	With
-------------------------	------

### Dimensions

Wire Size	236.823 – 789.41 CMA
-----------	----------------------

### Usage Conditions

Operating Temperature Range	-65 – 105 °C[-85 – 221 °F]
-----------------------------	----------------------------

### Operation/Application

Circuit Application	Power & Signal
---------------------	----------------

### Industry Standards

Compatible With Approved Standards Products	CSA LR7189, UL E28476
---	-----------------------

### Packaging Features

Packaging Method	Reel
------------------	------

Packaging Quantity	12500
--------------------	-------

### Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------

EU ELV Directive 2000/53/EC	Compliant
-----------------------------	-----------

China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
---	---

EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
--	---


Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
-----------------	---

Solder Process Capability	Not applicable for solder process capability
---------------------------	--

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

## Compatible Parts



TE Part # 58641-2  
PROCRIMP DIE MOD IV



TE Part # 2151307-1  
OCEAN\_2.0\_APPLICATOR-S-042F062O-RSM



TE Part # 91517-1  
CCII FEMALE MOD IV REC 24-22 ASSY



TE Part # 843996-3  
TOOL, EXTRACTION RESET



TE Part # 2151307-2  
OCEAN\_2.0\_APPLICATOR-S-042F062OA-RSA




TE Part # 58641-1  
PRO-CRIMP TL & DIE MOD IV



TE Part # 7-2151307-7  
OCEAN\_2.0\_SPARE\_PART\_KIT-042F062O

## Also in the Series | AMPMODU IV/V



Backplane Connector Housings(1)




Connector Caps & Covers(11)




Connector Contacts(270)



Connector Hardware(10)



Insertion & Extraction Tools(4)




PCB Headers & Receptacles(517)



Power Contacts(206)


## Customers Also Bought




TE Part #927854-8  
POSITIVE LOCK REC 1.0-2.5MM2  
SILVERPLATE




TE Part #1-1670214-1  
7POS, MIXED,TAB HSG,ASSY,CODA




TE Part #1-87631-7  
22 MODIV HSG COMP DR .100 POL




TE Part #205117-1  
SKT CONTACT,SZ 16



TE Part #5-102619-6  
16 MODII HDR DRST SHRD .100CL




TE Part #1-87631-4  
18 MODIV HSG DR MKRD .100 POL




TE Part #1-87631-1  
16 MODIV HSG COMP DR .100 POL



TE Part #1-6609028-8  
10VK6=F7356 S0



TE Part #213920-1  
CPC SEAL KIT,UNASSM,SZ 17-16



TE Part #354969-1  
SPRING, EXTENSION

## Documents

### Product Drawings

[MOD IV RECP PLTD 15 DPLX LF](#)

English

### CAD Files

Customer View Model

[ENG\\_CVM\\_5-103171-1\\_J.3d\\_igs.zip](#)

English

Customer View Model



[ENG\\_CVM\\_5-103171-1\\_J.3d\\_stp.zip](#)

English

**Customer View Model**

[ENG\\_CVM\\_5-103171-1\\_J.2d\\_dxf.zip](#)

English

**3D PDF**

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

---

### Datasheets & Catalog Pages

[AMPMODU\\_INTERCONNECTION\\_SYSTEM\\_SECTION5\\_CONT](#)

English

---

### Product Specifications

[Application Specification](#)

English