



Relays & Contactors > Electromechanical Relays > Power Relay, 200A, Standard, Monostable, DC



Relay & Contactor Type: **General Purpose Power Relay**

Current Type: **DC**

Coil Magnetic System: **Monostable**

Contact Arrangement: **1 Form X SPST-NO-DM**

Contact Current Rating: **200 A**

[All Power Relay, 200A, Standard, Monostable, DC \(22\)](#)

Features

Product Type Features

Relay & Contactor Type	General Purpose Power Relay
------------------------	-----------------------------

Configuration Features

Coil Special Features	Coil Suppression Diode
Contact Number of Poles	1
Contact Arrangement	1 Form X SPST-NO-DM

Electrical Characteristics

Coil Resistance	62 Ω
Contact Current Rating	200 A
Coil Voltage Rating	18 VDC, 32 VDC
Contact Voltage Rating	28 VDC
Coil Power Rating DC	10 W

Contact Features

Contact Material	Silver Alloy
------------------	--------------

Mechanical Attachment

Product Mounting Feature Type	Mounting Brackets
-------------------------------	-------------------



Product Mount Type Chassis Mount

Dimensions

Product Width	62 mm[2.44 in]
Product Length	101 mm[3.97 in]
Product Height	55.5 mm[2.18 in]

Operation/Application

Current Type	DC
Coil Magnetic System	Monostable

Packaging Features

Packaging Method	Carton
------------------	--------

Other

Contact Current Class	200 A
-----------------------	-------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Not Compliant
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) SVHC > Threshold: Pb (93.2% in 17071202736) <small>Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.</small>
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides



on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # CAT-AL6-KSPR30200
Power Relay, 200A, Standard, Bistable, 2 Coils, Polarized



TE Part # CAT-AL6-KSPR29200
Power Relay, 200A, Standard, Monostable, DC

Also in the Series | KISSLING Series 29



DC Relays(123)



Electromechanical Relays(123)

Customers Also Bought



TE Part #CAT-AL4-SBD355001
Battery Disconnecter, 500A, 1 Pole



TE Part #K1006083
Relay 30-313-12



TE Part #1670720-5
SLIDE, TAB HSG GROUP C



TE Part #K1016680
Limit switch G13-01-1244



TE Part #K1040453
Toggle Switch 08-2-2-13 904




TE Part #K1016715
Limit switch G13-01-1220



TE Part #K1016318
Limit switch G13-01-1161



TE Part #K1021430
Relay 26-05-03



Documents

Product Drawings

[Relay 29-211-12](#)

German

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_29-211-12_A.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_29-211-12_A.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_29-211-12_A.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[KISSLING SINGLE POLE POWER RELAYS Series 29 / 200A](#)

English